EI SNAPSHOT REFERENCES

5/25/2107

- Arnold, C.L., Davis, T.C., Humiston, S.G., Bocchini, J.A., Bass, P.F., Bocchini, A., Kennen, E.M., White, K., & Forsman, I. (2006). Infant hearing screening: Stakeholder recommendations for parent-centered communication. *Pediatrics*, 117(5), S341-S349.
- Bailey, D., & Bruder, M. B. (2005). Family Outcomes of Early Intervention and Early Childhood Special Education: Issues and Considerations. Retrieved from http://www.tats.ucf.edu/docs/ECO_Family_Outcomes_Issues_01172005.pdf
- Barnett, W. S., Riley-Ayers, S., & Francis, J. (n.d.). Measuring Child Outcomes in the Early Years. *Center on Enhancing Early Learning Outcomes*. Retrieved from http://ceelo.org/wp-content/uploads/2015/11/ceelo_policy_brief_assessment_final_web_2015_11_11.p df'
- Brown C. (2006). Early intervention: *Strategies for public and private sector collaboration*. Paper presented at the 2006 Convention of the Alexander Graham Bell Association for the Deaf and Hard of Hearing, Pittsburgh PA.
- Centers for Disease Control and Prevention. (1999). Framework for program evaluation in public health. *MMWR. Recommendations and Reports: Morbidity and Mortality Weekly Report. Recommendations and Reports / Centers for Disease Control, 48*(RR-11), 1–40. Retrieved from http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=2578767&tool=pmcentre z&rendertype=abstract
- Centers for Disease Control and Prevention, DC. (2006). *DSHPSHWA Data Summary:* Reporting Year 2004. Retrieved December 15, 2006, from http://www.cdc.gov/ncbddd/ehdi/dips.htm.
- Centers for Disease Control and Prevention (CDC). (2014). Early hearing detection and intervention among infants--hearing screening and follow-up survey, United States, 2005-2006 and 2009-2010. *MMWR Supplements*, 63(2), 20–6. Retrieved from https://www.cdc.gov/mmwr/preview/mmwrhtml/su6302a4.htm
- Centers for Disease Control and Prevention (CDC). (2017). Hearing loss home page: Data and statistics. Retrieved fromhttps://www.cdc.gov/ncbddd/hearingloss/data.html
- Cheng, A.K., Rubin, H.R., Powe, N.R., Mellon, N.K., Francis, H.W., & Niparko, J.K. (2000). Cost-utility analysis of cochlear implant in children. *Journal of American Medical Association*, 284(7), 850-856.
- Early Childhood Outcomes Center (ECO Center). (2013). Part C SPP APR Indicator Analysis. Retrieved from http://ectacenter.org/partc/partcapr.asp#analyses

- Ewing, I.R., & Ewing, A.W.G. (1944). The ascertainment of deafness in infancy and early childhood. *The Journal of Laryngology and Otology, 59,* 309-333.
- Geers, A.E. (2004). Speech, language, and reading skills after early cochlear implantation. *Archives of Otolaryngology Head and Neck Surgery*, *130*(5), 634-638.
- Harward R., Hyte H., & White K.R. (2006). Coordinating identification of hearing loss between Part C early intervention and EHDI programs. Paper presented at 2006 National EHDI Meeting. Washington DC.
- Herrmann, B.S., Thornton, A.R., & Joseph, J.M. (1995). Automated infant hearing screening using the ABR: Development and validation. *American Journal of Audiology*. 4(2):6-14.
- Honeycutt, A., Dunlap, L., Chen, H., al Homsi, G., Grosse, S., & Schendel, D. (2003). Economic costs associated with mental retardation, cerebral palsy, hearing loss, and vision impairment United States. *MMWR Weekly*, *53*(03), 57-59.
- Houston, K. T., & Stredler-Brown, A. (2012). A model of early intervention for children with hearing loss provided through telepractice. Volta Review, 112(3), 283–296
- Joint Committee on Infant Hearing (2007). Position Statement: Principles and Guidelines for Early Hearing Detection and Intervention Programs. *Pediatrics*. 120;898. The online version of this article: http://pediatrics.aappublications.org/content/pediatrics/120/4/898.full.pdf
- Joint Committee on Infant Hearing (2013). Supplement to the JCIH 2007 position statement: Principles and guidelines for early intervention after confirmation that a child is deaf or hard of hearing. *Pediatrics*. 131(4):e1324- e1349
- Jung, L. A., & McWilliam, R. A. (2005). Reliability and Validity of Scores on the IFSP Rating Scale. *Journal of Early Intervention*, 27(2), 125–136. https://doi.org/10.1177/105381510502700207
- Kemp, D.T. & Ryan, S. (1993). The use of transient evoked otoacoustic emissions in neonatal hearing screening programs. *Seminars in Hearing*. 14(1):30-45.
- Kennedy, C. R., McCann, D. C., Campbell, M. J., Law, C. M., Mullee, M., Petrou, S., & Stevenson, J. (2006). Language Ability after Early Detection of Permanent Childhood Hearing Impairment. *New England Journal of Medicine*, *354*(20), 2131–2141. https://doi.org/10.1056/NEJMoa054915
- Limb, S.J., McManus, M.A., & Fox, H.B. (2006). Assuring financial access to hearing aids for infants and young children. A report of the Children's Audiology Financing Work Group. Washington DC: Maternal and Child Health Policy Research Center.
- Luckner, J.L., Muir, S.G., Howell, J.J., Sebald, A.M., & Young, III J. (2005). An examination of the research and training needs in the field of deaf education. *American Annals of the Deaf, 4*(150):358-368.

- Marge, D.K., & Marge, M. (2005). Beyond newborn hearing screening: Meeting the educational and health care needs of infants and young children with hearing loss in America. Report of the National Consensus Conference on Effective Educational and Health Care Interventions for Infants and Young Children with Hearing Loss, September 10-12, 2004. Syracuse, New York: Department of Physical Medicine and Rehabilitation, SUNY Upstate Medical University.
- Mitchell, R.E., & Karchmer, M.A. (2004). Chasing the mythical ten percent: Parental hearing status of Deaf and Hard of Hearing students in the United States. *Sign Language Studies*, *4*(2), 138-163.
- Moeller, M. P. (2000). Early intervention and language development in children who are deaf and hard of hearing. *Pediatrics*, *106*(3), E43. Retrieved from http://www.ncbi.nlm.nih.gov/pubmed/10969127
- Moeller, M.P., White, K.R., & Shisler, L. (2006). Primary care physicians' knowledge, attitudes, and practices related to newborn hearing screening. *Pediatrics*, *118*(4), 1357-1370.
- Moeller, M. P., Carr, G., Seaver, L., Stredler-Brown, A., & Holzinger, D. (2013). Best practices in family-centered early intervention for children who are deaf or hard of hearing: An international consensus statement. *Journal of Deaf Studies and Deaf Education*, 18(4), 429–445. https://doi.org/10.1093/deafed/ent034
- Mohr, P.E., Feldman, J.J., Dunbar, J.L., McConkey-Robbins, A., Niparko, J.K., Rittenhouse, R.K., & Skinner, M.W. (2000). The societal costs of sever to profound hearing loss in the United States. *International Journal of Technology Assessment in Health Care*, *16*(4), 1120-1135.
- National Coalition on Personnel Shortages in Special Education and Related Services (NCPSSERS). (2017). Teacher shortage areas, nationwide Listing: 1990-1991 through 2014-2015. Retrieved from http://specialedshortages.org/resources/
- Office of Special Education and Rehabilitative Services (OSERS). Opening doors: Technology and communication options for children with hearing loss. Retrieved December 15, 2006, from www.ed.gov/about/offices/list/osers/products/opening_doors/opening_doors.pdf.
- O'Neill, C., O'Donoghue, G.M., Archbold, S.M., & Normand, C. (2000). A cost utility analysis of pediatric cochlear implantation. *Laryngoscope*, *110*, 156-160.
- Strobl, R., Lobermeier, O., & Heitmeyer, W. (2012). Evaluation von Programmen und Projekten für Eine Demokratische Kultur, 226. https://doi.org/10.1007/978-3-531-19009-9
- Toward Equality (1988). A Report to the Congress of the United States: Toward equality Commission on Education of the Deaf. Washington, DC: U.S. Government Printing Office.
- United States Congress. (2004). IDEA Building The Legacy of IDEA 2004. Retrieved March 10, 2017, from http://idea.ed.gov/part-c/statutes

- U.S. Department of Health and Human Services (HHS). 1990. Healthy People 2000: National health promotion and disease prevention objectives. Washington, DC: Public Health Service.
- White, K. R. (2004). Early hearing detection and intervention programs: Opportunities for genetic services. *American Journal of Medical Genetics*, *130A*(1), 29–36. https://doi.org/10.1002/ajmg.a.30048
- White, K. R. (2007). Early Intervention for children with permanent hearing loss: Finishing the EHDI revolution. The Volta Review. 106(3), 237-258. *The Volta Review*, 106(3), 237-258.
- White KR (2014) Chapter 23: Newborn hearing screening (pages 437-458). In Katz J, Chasin M, English K, Hood LJ, & Tillery KL (editors). Handbook of clinical audiolgy (seventh edition) Lippincott Williams & Wilkins.
- Yoshinaga-Itano, C., Sedey, A. L., Coulter, D. K., & Mehl, A. L. (1998). Language of early- and later-identified children with hearing loss. *Pediatrics*, *102*(5), 1161–71. Retrieved from http://www.ncbi.nlm.nih.gov/pubmed/9794949
- Yoshinaga-Itano, C. (2003). From Screening to Early Identification and Intervention: Discovering Predictors to Successful Outcomes for Children With Significant Hearing Loss. *Journal of Deaf Studies and Deaf Education*, 8(1), 11–30. https://doi.org/10.1093/deafed/8.1.11
- Ziviani, J., Darlington, Y., Feeney, R., Rodger, S., & Watter, P. (2014). Early intervention services of children with physical disabilities: Complexity of child and family needs. *Australian Occupational Therapy Journal*, *61*(2), 67–75. https://doi.org/10.1111/1440-1630.12059